

Approx. finished size: 53-1/2" x 65-1/2"

Mystery Quilt 2014 - Part 2

Shown in the Golden Age collection by Connecting Threads®

by Ann Johnson

Fabrics

Backing: An additional 3-1/2 yards



^{*} For optional bias cut binding, use 3/4 yard.

Mystery Quilt 2014

Ann Johnson

Pattern Basics

We encourage breaking the rules, but here are a few things you might want to keep in mind:

- Please read through all the instructions carefully before beginning a project. Every effort has been made to ensure the accuracy of this pattern.
- All instructions use a ¼" seam allowance unless otherwise stated.
- All fabrics are sewn right sides together, unless otherwise
- Need help with any of the techniques used? Check out our free tutorials and videos at www.connectingthreads.com/tutorials/quilting tutorials.html




Common Quilting Acronyms:

 $FQ = fat quarter (18" \times 22")$ WOFQ = width of fat quarter RS = right side of fabric WOF = width of fabric LOF = length of fabric

WS = wrong side of fabric HST = half square triangle QST = quarter square triangle


Approx. finished size: 53-1/2" x 65-1/2"



Note: All text in gray is from Part 1; do not recut!

Cutting Suggestions

Note: All pieces in gray are from Part 1; do not recut!




Directions

HSTs:


6. Draw a centered vertical and horizontal line on the WS of an **F**. Draw two diagonal lines from corner-to-corner. Draw lines on each side of the diagonal lines, I/4" away, or use the side of a I/4" presser foot to sew the lines.

Lay an **F** on a **J**. Sew on each side of the diagonal lines (dashed), I/4" away from the center line (solid). Cut on the center diagonal lines (solid). Without moving any sections out of place, cut on the vertical and horizontal lines (solid). Each pair of I0" squares makes eight **F/J** HSTs. Press to the **F**s so seams will nest with the **B/E** HSTs from Part I, Step 5. Trim to 4-1/2" square.

Note: If you do not want to use this method, repeat the process in Part 1, Step 5. Cut the **F**s and **J**s into twenty-four 5" squares of Fabric 2 and Fabric 3 to make forty-eight **F/J** HSTs. Trim to 4-1/2" square.



Make 6 F/J sets 10" square





Make 48 F/J HSTs 4-1/2" square

Fussy Cutting:

7. Fussy cut **K**s and **L**s.






Cut 12 4-1/2" square

Cut 4 6-1/2" square

Piecing Strips:

8. Sew three **M**s end-to-end with a diagonal seam. Trim leaving a 1/4" seam allowance. Press seam open.

Do not piece the remaining two **M**s.



9. Sew Fabric 6 strips end-to-end with diagonal seams pressed open. Press in half lengthwise to make at least 248" of binding

